



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/016,867	12/13/2001	Shmuel Shaffer	062891.0667	5958
7590 07/11/2006			EXAMINER	
Baker Botts L.L.P. 2001 Ross Avenue, Suite 600 Dallas, TX 75201-2980			NGUYEN, TOAN D	
			ART UNIT	PAPER NUMBER
			2616	

DATE MAILED: 07/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

10/016,867

**Applicant(s)**

SHAFFER ET AL.

**Examiner**

Toan D. Nguyen

**Art Unit**

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 05 December 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-39 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 15-39 is/are rejected.
- 7) ☒ Claim(s) 14 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 12/5/05.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Claim Objections***

1. Claims 8 and 14 are objected to because of the following informalities:

In claim 8 line 3, it is suggested to changed "keep alive signals" to --- the keep alive signals ---.

In claim 14 line 2, it is suggested to changed "a first endpoint" to --- the first endpoint ---.

Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2616

4. Claims 1-2, 4, 6-7, 16-18, 21, 23, 26, 28-29, 31-33, 35-37, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Olafsson et al. (US 6,912,276).

For claim 1, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5);

receiving keep alive signals from the first endpoint (figure 1, reference 102)(page 5, paragraph [0045] lines 8-13);

detecting an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10).

However, Manzardo does not expressly disclose:

maintaining a connection with the second endpoint after the interruption; and  
reestablishing the communication session between the first endpoint and the second endpoint if the keep alive signals resume within a predetermined time period.

In an analogous art, Olafsson et al. disclose:

maintaining a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1); and

reestablishing the communication session between the first endpoint (figure 4, reference 321) and the second endpoint (figure 4, reference 301) if the keep alive signals resume within a predetermined time period (col. 9 lines 9-11).

One skilled in the art would have recognized the maintaining a connection with the second endpoint after the interruption; and reestablishing the communication session between the first endpoint and the second endpoint if the keep alive signals resume within a predetermined time period, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 2, Manzardo discloses further comprising transferring the communication session with the second endpoint from the first endpoint to a third endpoint if the keep alive signals do not resume within the predetermined time period (page 5, paragraph [0049]).

For claim 4, Manzardo discloses wherein the first endpoint is associated with a user in a directory relating a plurality of users to a plurality of endpoints, the third endpoint is also associated with the user in the directory; and the method further comprises: determining the user associated with the first endpoint using the directory; and determining that the third endpoint is also associated with the user (page 8 paragraph [0082]).

For claim 6, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5);

receiving keep alive signals from the first endpoint (figure 1, reference 102)(page 5, paragraph [0045] lines 8-13);

detecting an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10); and

transferring the communication session with the second endpoint from the first endpoint to a third endpoint (page 5, paragraph [0049] lines 3-8 and paragraph [0053]).

However, Manzardo does not expressly disclose maintaining a connection with the second endpoint after the interruption. In an analogous art, Olafsson et al. disclose maintaining a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1).

One skilled in the art would have recognized the maintaining a connection with the second endpoint after the interruption, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 7, Manzardo discloses wherein the first endpoint is associated with a user in a directory relating a plurality of users to a plurality of endpoints; the third endpoint is also associated with the user in the directory', and the method further comprises determining the user associated with the first endpoint using the directory; determining that the third endpoint is also associated with the user; and selecting the third endpoint for the communication session user (page 8 paragraph [0082]).

For claims 16, 23 and 29, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

an interface (figure 8, reference 352, page 7, paragraph [0076] line 4) operable to receive keep alive signals from a first endpoint (figure 1, reference 102) in a communication session with a second endpoint (figure 1, references 117 and 102)(page 5, paragraph [0045] lines 8-13), and

a processor (figure 8, reference 350, page 7 paragraph [0076] lines 1-2) operable to:

detect an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10).

However, Manzardo does not expressly disclose:

maintain a connection with the first endpoint after the interruption; and  
reestablishing the communication session if the keep alive signals resume within a predetermined time period.

In an analogous art, Olafsson et al. disclose:

maintain a connection with the first endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1); and

reestablishing the communication session if the keep alive signals resume within a predetermined time period (col. 9 lines 9-11).

Olafsson et al. disclose wherein the first endpoint is coupled to a transport control protocol / Internet protocol (TCP/IP) network; the communication device is coupled to the TCP/IP network; and the keep alive signals comprise TCP/IP signaling information (col. 8 line 65 to col. 9 line 5 as set forth in claims 23 and 29).

One skilled in the art would have recognized the maintain a connection with the first endpoint after the interruption; and reestablishing the communication session if the keep alive signals resume within a predetermined time period, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 17, Manzardo discloses wherein the processor is further operable to transfer the communication session with the second endpoint from the first endpoint to a third endpoint if the keep alive signals do not resume within the predetermined time (page 5, paragraph [0049]).



For claim 18, Manzardo discloses wherein the communication device comprises a call manager (page 3, paragraph [0031]).

For claim 21, Manzardo discloses wherein transferring the communication session comprises determining an alternate endpoint associated with a user of the first endpoint; and communicating a message to a call manager instructing the call manager to establish the communication session between the second endpoint and the alternate endpoint (page 5 paragraph [0049]).

For claim 26, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

an interface (figure 8, reference 352, page 7, paragraph [0076] line 4) operable to receive keep alive signals from a first endpoint (figure 1, reference 102) in a communication session with a second endpoint (figure 1, references 117 and 102)(page 5, paragraph [0045] lines 8-13), and

a processor (figure 8, reference 350, page 7 paragraph [0076] lines 1-2) operable to:

detect an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10).

transfer the communication session with the second endpoint to a third endpoint (page 5, paragraph [0049] lines 3-8 and paragraph [0053]).

However, Manzardo does not expressly disclose maintain a connection with the second endpoint after the interruption. In an analogous art, Olafsson et al. disclose

maintain a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1).

One skilled in the art would have recognized the maintain a connection with the second endpoint after the interruption, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 28, Manzardo discloses wherein the processor is further operable to store status information (figure 8, reference 360) for the first endpoint, and use the status information to resume the communication session with the third endpoint from approximately a point at which the interruption in keep alive signals was detected (page 5 paragraph [0051], and page 8 paragraph [0081]).

For claim 31, Manzardo discloses wherein the processor is further operable to transfer the communication session automatically in response to a message from the first endpoint (page 5 paragraph [0049]).

For claim 32, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5);

receiving keep alive signals from the first endpoint (figure 1, reference 102)(page 5, paragraph [0045] lines 8-13);

detecting an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10).

However, Manzardo does not expressly disclose:

maintaining a connection with the second endpoint after the interruption; and  
reestablishing the communication session between the first endpoint and the second endpoint if the keep alive signals resume within a predetermined time period.

In an analogous art, Olafsson et al. disclose:

maintaining a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1); and

reestablishing the communication session between the first endpoint (figure 4, reference 321) and the second endpoint (figure 4, reference 301) if the keep alive signals resume within a predetermined time period (col. 9 lines 9-11).

One skilled in the art would have recognized the maintaining a connection with the second endpoint after the interruption; and reestablishing the communication session between the first endpoint and the second endpoint if the keep alive signals resume within a predetermined time period, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a

communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 33, Manzardo discloses wherein the logic is further operable to perform the step of transferring the communication session with the second endpoint from the first endpoint to a third endpoint if the keep alive signals do not resume within the predetermined time period (page 5, paragraph [0049]).

For claim 35, Manzardo discloses wherein the first endpoint is associated with a user in a directory relating a plurality of users to a plurality of endpoints, the third endpoint is also associated with the user in the directory; and the method further comprises: determining the user associated with the first endpoint using the directory; and determining that the third endpoint is also associated with the user (page 8 paragraph [0082]).

For claim 36, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5);

receiving keep alive signals from the first endpoint (figure 1, reference 102)(page 5, paragraph [0045] lines 8-13);

detecting an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10); and

transferring the communication session with the second endpoint from the first endpoint to a third endpoint (page 5, paragraph [0049] lines 3-8 and paragraph [0053]).

However, Manzardo does not expressly disclose maintaining a connection with the second endpoint after the interruption. In an analogous art, Olafsson et al. disclose maintaining a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1).

One skilled in the art would have recognized the maintaining a connection with the second endpoint after the interruption, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

For claim 37, Manzardo discloses wherein the first endpoint is associated with a user in a directory relating a plurality of users to a plurality of endpoints, the third endpoint is also associated with the user in the directory; and the method further comprises: determining the user associated with the first endpoint using the directory; and determining that the third endpoint is also associated with the user (page 8 paragraph [0082]).

For claim 39, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

means for establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5);

means for receiving keep alive signals from the first endpoint (figure 1, reference 102)(page 5, paragraph [0045] lines 8-13);

means for detecting an interruption in the keep alive signals (page 5 paragraph [0051] lines 6-10); and

means for transferring the communication session with the second endpoint from the first endpoint to a third endpoint (page 5, paragraph [0049] lines 3-8 and paragraph [0053]).

However, Manzardo does not expressly disclose means for maintaining a connection with the second endpoint after the interruption. In an analogous art, Olafsson et al. disclose means for maintaining a connection with the second endpoint (figure 4, reference 301) after the interruption (col. 8 line 65 to col. 9 line 1).

One skilled in the art would have recognized the maintaining a connection with the second endpoint after the interruption, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Manzardo's method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

5. Claims 3, 5, 8, 25 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Olafsson et al. (US 6,912,276) further in view of Liljestrand et al. (US 6,853,714).

For claims 3, 5, 8, 25 and 34, Manzardo disclose notifying the second endpoint that the first endpoint has failed (page 5, paragraph [0051].

However, Manzardo in view of Olafsson et al. does not expressly disclose communicating a message to the first endpoint instructing the first endpoint to reboot. In an analogous art, Liljestrand et al. disclose communicating a message to the first endpoint instructing the first endpoint to reboot (col. 10 lines 52-53 as set forth in claim 3 and 34).

Liljestrand et al. disclose wherein the third endpoint is a voice mail system associated with a user of the first endpoint (see Table 3, Type Voice section as set forth in claim 5), wherein the first endpoint further comprises a reset button; and the first endpoint is further operable to stop communicating keep alive signals in response to a user pressing the reset button (col. 10 lines 52-53 as set forth in claim 8), and wherein the first endpoint comprises a voice-over-IP (VoIP) telephone; and the third endpoint comprises a cellular telephone associated with a user of the VoIP telephone (col. 16 line 67 and col. 21 line 66 as set froth in claim 25).

One skilled in the art would have recognized the communicating a message to the first endpoint instructing the first endpoint to reboot, and would have applied Liljestrand et al.'s control module 166 in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the

time of the invention, to use Liljestrand et al.'s apparatus and method for providing enhanced telecommunications services in Manzardo's method and apparatus for providing back-up capability in a communication system with the motivation being to cause the hot standby redundant softswitch 160b to take control (col. 10 lines 53-54).

6. Claims 9-10, 24, 27, 30 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Olafsson et al. (US 6,912,276) further in view Korpi et al. (US 6,785,223).

For claims 9, 24, 27 and 30, Manzardo in view of Olafsson et al. does not expressly disclose wherein the first and third endpoints are interactive voice response (IVR) servers. In an analogous art, Korpi et al. disclose wherein the first and third endpoints are interactive voice response (IVR) servers (col. 3 lines 8-9 as set forth in claim 9 and 27).

Korpi et al. disclose wherein the first endpoint is coupled to an Internet protocol (IP) network carrying packets over User Datagram Protocol (UDP); the communication device is coupled to the IP network; and the keep alive signals comprise UDP signaling information (col. 4 line 60 and col. 6 lines 44-47 as set forth in claims 24 and 30).

One skilled in the art would have recognized the interactive voice response (IVR) servers, and would have applied Korpi et al.'s servers in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Korpi et al.'s system and method for restarting of signaling entities in H.323-based realtime communication networks in Manzardo's



Art Unit: 2616

method and apparatus for providing back-up capability in a communication system with the motivation being to provide failure recovery (col. 3 lines 9-11).

For claim 10, Marizardo discloses storing status information (figure 8, reference 360) for the first endpoint, and using the status information to resume the communication session with the third endpoint from approximately a point at which the interruption in keep alive signals was detected (page 5 paragraph [0051], and page 8 paragraph [0081]).

For claim 38, Marizardo discloses storing status information (figure 8, reference 360) for the first endpoint, and using the status information to resume the communication session with the third endpoint from approximately a point at which the interruption in keep alive signals was detected (page 5 paragraph [0051], and page 8 paragraph [0081]).

However, Marizardo does not disclose the first and third endpoints are interactive voice response servers (IVRs). In an analogous art, Korpi et al. disclose wherein the first and third endpoints are interactive voice response (IVR) servers (col. 3 lines 8-9).

One skilled in the art would have recognized the interactive voice response (IVR) servers, and would have applied Korpi et al.'s servers in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Korpi et al.'s system and method for restarting of signaling entities in H.323-based realtime communication networks in Manzardo's method and apparatus for providing back-up capability in a communication system with the motivation being to provide failure recovery (col. 3 lines 9-11).

7. Claims 11-13, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Berry et al. (US 7,023,876).

For claims 11-13, Manzardo discloses method and apparatus for providing back-up capability in a communication system, comprising:

establishing a communication session between a first endpoint (figure 1, reference 102) and a second endpoint (figure 1, references 117 and 102) (page 4, paragraph [0044] lines 1-5).

Manzardo discloses wherein the step of establishing comprises transferring the communication session with the second endpoint from the first endpoint to a third endpoint associated with the user of the first endpoint (page 5, paragraph [0049] lines 3-8 as set forth in claim 12).

However, Manzardo does not expressly disclose:

receiving from a user of the first endpoint a message to reestablish the communication session, and

in response to the message, reestablishing the communication session between the second endpoint and the user of the first endpoint.

In an analogous art, Berry et al. disclose:

receiving from a user of the first endpoint (figure 1, reference 100) a message to reestablish the communication session (col. 13 lines 53-54), and

in response to the message, reestablishing the communication session between the second endpoint and the user of the first endpoint (col. 9 lines 35-39).

Berry et al. disclose wherein the step of reestablishing comprises: instructing the first endpoint to reset (col. 12 lines 60-65), waiting a predetermined period of time for the first endpoint to reset; and reestablishing the communication session between the first endpoint and the second endpoint if the first endpoint successfully resets during the predetermined period of time (col. 9 lines 35-39 as set forth in claim 13).

One skilled in the art would have recognized the receiving from a user of the first endpoint a message to reestablish the communication session, and in response to the message, reestablishing the communication session between the second endpoint and the user of the first endpoint, and would have applied Berry et al.'s re-establish the connection in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Berry et al.'s point-to-point protocol in Manzardo's method and apparatus for providing back-up capability in a communication system with the motivation being to re-establish the connection (col. 9 line 39).

For claim 15, Manzardo discloses wherein the steps are performed by logic embodied in a computer readable medium (figure 8, page 7 paragraph [0076]).

8. Claims 19 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Olafsson et al. (US 6,912,276) further in view of Berry et al. (US 7,023,876).

For claim 19, Manzardo in view of Olafsson et al. does not disclose wherein the communication session comprises a point-to-point communication session. In an

Art Unit: 2616

analogous art, Berry et al. disclose wherein the communication session comprises a point-to-point communication session (figure 1, col. 4 line 65 to col. 5 line 5).

One skilled in the art would have recognized the communication session comprises a point-to-point communication session, and would have applied Berry et al.'s re-establish the connection in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Berry et al.'s point-to-point protocol in Manzardo's method and apparatus for providing back-up capability in a communication system with the motivation being to provide reliable communication exchange between a pair of devices (col. 4 lines 5-6).

For claim 22, Manzardo does not disclose wherein transferring the communication session comprises determining an alternate endpoint associated with a user of the first endpoint; and communicating a message to the alternate endpoint instructing the alternate endpoint to establish the communication session with the first endpoint. In an analogous art, Olafsson et al. disclose wherein transferring the communication session comprises determining an alternate endpoint associated with a user of the first endpoint; and communicating a message to the alternate endpoint instructing the alternate endpoint to reestablish the communication session with the first endpoint (col. 8 line 65 to col. 9 line 11).

One skilled in the art would have recognized the wherein transferring the communication session comprises determining an alternate endpoint associated with a user of the first endpoint; and communicating a message to the alternate endpoint

Art Unit: 2616

instructing the alternate endpoint to establish the communication session with the first endpoint, and would have applied Olafsson et al.'s keep alive functionality to maintain continuous data session in Manzardo's establishing a communication session.

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Olafsson et al.'s modem on hold in Olafsson et al.'s method and apparatus for providing back-up capability in a communication system with the motivation being to prevent the session from terminating (col. 9 line 2).

9. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Manzardo (US 2003/0061319) in view of Olafsson et al. (US 6,912,276) and Berry et al. (US 7,023,876) further in view of Korpi et al. (US 6,785,223).

For claim 20, Manzardo in view of Olafsson et al. and Berry et al. does not disclose wherein the point-to-point communication session is established using Session Initiation Protocol (SIP) or H.323. In an analogous art, Korpi et al. disclose wherein the point-to-point communication session is established using Session Initiation Protocol (SIP) or H.323 (col. 3 lines 62-66).

One skilled in the art would have recognized the wherein the point-to-point communication session is established using Session Initiation Protocol (SIP) or H.323, and would have applied Korpi et al.'s H.323 in Manzardo's establishing a communication session. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Korpi et al.'s system and method for restarting of signaling entities in H.323-based realtime communication networks in Manzardo's

Art Unit: 2616

method and apparatus for providing back-up capability in a communication system with the motivation being to carry real-time voice, video, and/or data (col. 3 lines 62-63).

***Allowable Subject Matter***

10. Claim 14 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Response to Arguments***

11. Applicant's arguments with respect to claims 1-39 have been considered but are moot in view of the new ground(s) of rejection.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan D. Nguyen whose telephone number is 571-272-3153. The examiner can normally be reached on M-F (7:00AM-4:30PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Huy Vu can be reached on 571-272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a


Application/Control Number: 10/016,867

Page 22

Art Unit: 2616

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TN  
TN



HUY D. VU  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600